

CERRADA	ABIERTA	DESCRIP.	ØDI	PESO
083	1258	4 AGUJEROS	20	410 g
068	1259		25	398 g
069	1260		30	577 g
133	1261		35	882 g
134	1262		40	968 g

ØDE	ØS	E	B	G	U	T
52	11	71	98	22.2	48.5	50.5
52						
62		84	110	26	54.5	58.5
80		92	118			55.6
80					51.5	

MATERIALES CAJA/BOX=PAFG
 ENGRASADOR/LUBRICATOR=NPB
 ARANDELA/WASHER=AISI 304
 RODAMIENTO/BEARING=FE / AISI 309



CERRADA	ABIERTA	DESCRIP.	ØDI	PESO
287	1267	2 AGUJEROS	30	920 g
198	1268		35	648 g
199	1269		40	794 g

ØDE	A	E	B	G	U	T
80	116,5	117	153	24,8	60	62,5

MATERIALES CAJA/BOX=PAFG
 ENGRASADOR/LUBRICATOR=NPB
 ARANDELA/WASHER=AISI 304
 RODAMIENTO/BEARING=FE / AISI 309



C.P.R. 4 Agujeros Serie UCF...

Bearing Support Series UCF With 4 Holes





C.P.R. 2 Agujeros Serie UCF e/c 117...

Bearing Support Series UCF With 2 Holes e/c 117



C.P.R. 2 Agujeros Serie UCF e/c 99...

Bearing Support Series UCF With 2 Holes e/c 99





CERRADA		ABIERTA		DESCRIP.	ØDI	PESO	
196	1265	2 AGUJEROS		25	458 g		
197	1266			30	524 g		
ØDE	ØS	A	E	B	G	U	T
65.5	11	98	99	131	25,5	52,5	56,5

MATERIALES CAJA/BOX=PAFG
ENGRASADOR/LUBRICATOR=NPB
ARANDELA/WASHER=AISI 304
RODAMIENTO/BEARING=FE / AISI 309

C.P.R. 2 Agujeros Serie UCF e/c 90...

Bearing Support Series UCF With 2 Holes e/c 90



CERRADA	ABIERTA	DESCRIP.	ØDI	PESO
140	1263	2 AGUJEROS	20	382 g
141	1264		25	437 g


ØDE	ØS	A	E	B	G	U	T
52	11	90	90	120	23	46,5	50,5

MATERIALES CAJA/BOX=PAFG
ENGRASADOR/LUBRICATOR=NPB
ARANDELA/WASHER=AISI 304
RODAMIENTO/BEARING=FE / AISI 309


CERRADA	ABIERTA	DESCRIP.	ØDI	PESO
214	1320	2 AGUJEROS	12	286 g
215	1321		15	328 g
216	1322		17	434 g
217	1323		20	365 g

ØDE	ØS	E	B	G	U	T
45	11	76,5	103	11	46	48

MATERIALES CAJA/BOX=PAFG
 ENGRASADOR/LUBRICATOR=NPB
 ARANDELA/WASHER=AISI 304
 RODAMIENTO/BEARING=FE / AISI 309




C.P.R. 2 Agujeros Serie UCF e/c 76,5...
Bearing Support Series UCF With 2 Holes e/c 76,5




CERRADA	ABIERTA	DESCRIP.	ØDI	PESO
211	1324	2 AGUJEROS	12	97 g
212	1325		15	108 g
213	1326		17	126 g

ØDE	ØS	A	E	B	G	U	T
40	6,5	60	63,5	83	15,7	35	37

MATERIALES CAJA/BOX=PAFG
 ENGRASADOR/LUBRICATOR=NPB
 ARANDELA/WASHER=AISI 304
 RODAMIENTO/BEARING=FE / AISI 309





C.P.R. 2 Agujeros Serie UCF e/c 63,5...
Bearing Support Series UCF With 2 Holes e/c 63,5



C.P.R. 2 Agujeros Serie F 6204 e/c 76,5 mm...

Bearing Support Series F 6204 With 2 Holes e/c 76,5





CERRADA	ABIERTA	ØDI	DESCRIP.	PESO
221	219	20	2 AGUJEROS	153 g

ØDE	ØS	A	E	B	G	U	T
47	11	60	76,5	103	11	26	28

MATERIALES CAJA/BOX=PAFG
ENGRASADOR/LUBRICATOR=NPB
ARANDELA/WASHER=ALSI 304
RODAMIENTO/BEARING=FE / ALSI 309

C.P.R. 2 agujeros Serie F6203 e/c 63,5mm...

Bearing Support Series F 6203 With 2 Holes e/c 63,5 mm



CERRADA	ABIERTA	ØDI	DESCRIP.	PESO
209	210	17	2 AGUJEROS	89 g

ØDE	ØS	A	E	B	G	U	T
40	6,5	60	63,5	83	15,7	18,5	24

MATERIALES CAJA/BOX=PAFG
ENGRASADOR/LUBRICATOR=NPB
ARANDELA/WASHER=ALSI 304
RODAMIENTO/BEARING=FE / ALSI 309